



SECTION 1 - IDENTIFICATION OF THE MATERIAL AND SUPPLIER

PRODUCT (MATERIAL) NAME

LYNDONS MULTICURE R

OTHER NAMES

RECOMMENDED USE

Curing compound for concrete : Application Rate 5m²/L

SUPPLIER NAME/ADDRESS

RFA AUSTRALIA PTY LTD 37 Victoria Street Windsor 4030 Queensland

TELEPHONE NO.

+61-(0) 7-3857-7788

Facsimile: +61-(0)7- 3857 7422

EMERGENCY PHONE NUMBER

+61-(0) 7-3857-7788

Hours: 0800-1700

Monday-Friday

SECTION 2 HAZARDS IDENTIFICATION

HAZARD

Not classified as hazardous according to criteria of SAFEWORK Australia.

CLASSIFICATION

Not classified as dangerous according ADG Code.

RISK PHRASE(S)

SAFETY PHRASE(S)

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

MIXTURE

Chemical identity of ingredients

Proportion of ingredients

CAS Number(s) for ingredients

Balance of formulation consists of ingredients below cut-off rates or ingredients determined not to be hazardous.

SECTION 4 FIRST AID MEASURES

Swallowed:

For advice, contact a Poisons Information Centre (Phone Australia 131126; New Zealand 03 4747000) or a doctor. If swallowed, do NOT induce vomiting.

Eye:

If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre, or a doctor, or for at least 15 minutes.

Skin:

If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Remove contaminated clothing and wash before reuse. Wash off skin with soap and water. Seek medical assistance if irritation persists.

Inhalation:

If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Medical attention or special treatment required

ADVICE TO DOCTOR.

Treat symptomatically.

SECTION 5 FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA

Foam, Carbon Dioxide, Dry Chemical Powder, and Water fog.

HAZARDS FROM COMBUSTION PRODUCTS

Combustion will release toxic gasses. (COx)

SPECIAL PROTECTIVE PRECAUTIONS AND EQUIPMENT FOR FIRE FIGHTERS

Fire fighters to wear self-contained breathing apparatus if risk of exposure to vapour or products of decomposition (COx) evolved.

Additional information

Dried film will be combustible

Hazchem Code

Not Applicable

SECTION 6 ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURES

Extinguish any source of flame

Evacuate area, clearing all unnecessary personnel. Contain liquid with soil/sand. Prevent liquid from entering storm water drains, basements or workpits.

Wear protective goggles to prevent eye contamination.

Absorb spill with soil/sand and recover material into mild steel drums. Label drums correctly.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP

Refer to State Land Waste Management Authority. Empty containers must be decontaminated. Normally suitable for disposal at approved land waste site.

SECTION 7 HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Wear protective goggles and rubber gloves to prevent eye and skin contamination.

CONDITIONS FOR SAFE STORAGE

Keep containers tightly sealed when not in use. Store in a well-ventilated place and out of direct sunlight. Do NOT freeze. Check area regularly for spills. The product is

INCOMPATIBILITIES	corrosive to copper, brass, zinc and zinc alloys, mild steel if stored in these materials over an extended time period. Not to be loaded with dangerous when wet substances (Class 4.3), oxidising agents (Class 5), cyanides (Class 6), strong acids (Class 8) or foodstuffs.
-------------------	---

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

NATIONAL EXPOSURE	Not established for the product.
STANDARDS	
BIOLOGICAL LIMIT VALUES	Not established for the product.
ENGINEERING CONTROLS	If used in limited ventilation Ensure adequate ventilation to maintain exposure levels are kept below standards, by using a local exhaust.
<u>PERSONAL PROTECTION:</u>	Avoid unnecessary contact as good work practice. Wash contaminated clothing and protective equipment before storing and re-use. Wash hands before eating, smoking or using the toilet.
<u>RESPIRATORY PROTECTION</u>	It is usually safe to not use respiratory protection. However, there may be circumstances where use of a mask or other device is appropriate. Use judgement. For assistance in selecting suitable equipment consult AS/NZ1715.
<u>EYE PROTECTION</u>	Eye protective measures are normally necessary, and are suggested when using this product. Consult AS1336 and AS/NZ1337
<u>PROTECTIVE GLOVES</u>	Rubber, PVC or other protective gloves are necessary, and desirable, especially if product is being used frequently or for lengthy periods. Consult AS2161 for guidance.
<u>CLOTHING</u>	Clean overalls should be worn, preferably with an apron. Consult AS2919 for clothing guidance.
<u>SAFETY FOOTWEAR</u>	Wearing safety boots is advisory. Consult AS/NZ 2210 for advice on Occupational Protective Footwear.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance (colour, physical form, shape).	Light green to white mobile fluid
Odour.	Characteristic odour
pH.	8.5-9.0
Vapour pressure.	Similar to water
Vapour density.	Similar to water
Boiling point/range.	100°C
Freezing/melting point (specify which).	0°C
Solubility (specify solvent, e.g. water).	Miscible in water
Specific Gravity or density.	0.9-1.0
Flash Point	Not applicable
Flammability (explosive) Limits in air;	unknown
Autoignition temperature.	unknown
<i>Evaporation rate.</i>	
<i>Viscosity @25 °C</i>	Not stated
<i>Evaporation rate.</i>	Similar to water
<i>Viscosity @25 °C</i>	>50cps

SECTION 10 STABILITY AND REACTIVITY

Chemical stability	stable
Conditions to avoid	Do not freeze.
Incompatible materials	Not to be loaded with dangerous when wet substances (Class 4.3), oxidising agents (Class 5), cyanides (Class 6), strong acids (Class 8) or foodstuffs.
Hazardous decomposition products	Combustion will release toxic gasses. (COx)
Hazardous reactions	None

SECTION 11 TOXICOLOGICAL INFORMATION

Health effects from the likely routes of exposure

SYMPTOMS OF EXPOSURE

Swallowed:	No data is available on human ingestion of product. May be irritant to mouth.
Eye:	Moderate irritant. The resin film may come out of emulsion, depositing a thin film on the eye.
Skin:	May be mildly irritating, frequent and prolonged contact may cause dermatitis.
Inhalation:	At ambient temperatures, is a low irritation hazard. If heated may cause irritation of nose, throat and lungs. This will apply if sprayed in a confined space.

ACUTE**DELAYED***Additional information**Aggravated medical conditions
caused by exposure***SECTION 12 ECOLOGICAL INFORMATION**

ECOTOXICITY	Low
PERSISTENCE AND DEGRADABILITY	Surfactants utilised in product are biodegradable. Balance of ingredients are considered to have minimal ecological impact.
MOBILITY	Once dry – relatively immobile.
<i>ADDITIONAL INFORMATION</i>	
<i>ENVIRONMENTAL FATE (EXPOSURE)</i>	
<i>BIOACCUMULATIVE POTENTIAL</i>	

SECTION 13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS AND CONTAINERS	Refer to State Land Waste Management Authority. Empty containers must be decontaminated. Normally suitable for disposal at approved land waste site.
SPECIAL PRECAUTIONS FOR LANDFILL OR INCINERATION	

SECTION 14 TRANSPORT INFORMATION

UN NUMBER	Not applicable
UN PROPER SHIPPING NAME	Not applicable
CLASS AND SUBSIDIARY RISK	Not applicable
PACKING GROUP	Not applicable
SPECIAL PRECAUTIONS FOR USER	NIL
HAZCHEM CODE	Not applicable

SECTION 15 REGULATORY INFORMATION

Poison Schedule	Not scheduled
OHS	Unregulated
Environmental	Unregulated
<i>Additional national and/or international regulatory information.</i>	Unregulated

SECTION 16 OTHER INFORMATION

Date of preparation or last revision of the MSDS	10 September 2013
Prepared by	Glenn Bowring B App Sc (App Chem)
<i>Additional information</i>	
<i>Key/legend to abbreviations and acronyms used in the MSDS.</i>	
ADG	Australian Code for the Transport of Dangerous Goods by Road and Rail
ACGIH	American Conference of Governmental Industrial Hygienists
ASCC	Australian Safety and Compensation Council
Carcinogen Category Number	<ol style="list-style-type: none"> 1. Established human carcinogen 2. Probably human carcinogen 3. Substances suspected of having carcinogenic potential
Code AICS	Australian Inventory of Chemical Substances
CAS number	Chemical Abstracts Service Registry Number
EPG	Emergency Procedure Guide (superseded by IERG)
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IERG	HB 76-2004 Dangerous goods - Initial Emergency Response Guide
LEL	lower flammable (explosive) limits in air;
LD₅₀	Lethal Dose sufficient to kill 50% of test population
NIOSH	National Institute for Occupational Safety and Health The United States federal agency responsible for conducting research and making recommendations for the prevention of work-related injury and illness.

NOAEL	No Observed Adverse Effect Level
NOEL	No Observable Effect Level
NOHSC	National Occupational Health and Safety Commission
NTP	National Toxicology Program (USA)
PEL	Permissible Exposure Limit
RTECS	Registry of Toxic Effects of Chemical Substances (Symyx Technologies')
TCL_o	Toxic Concentration Low
TD_{Lo}	Toxic Dose Low : lowest dosage per unit of bodyweight (typically stated in milligrams per kilogram) of a substance known to have produced signs of toxicity in a particular animal species.
TLV	Threshold Limit Value (ACGIH): The time weighted average used to describe exposure which is harmless to most of the population when exposed 8 hours per day, 40 hours per week.
TWA	(Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week. These exposure standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.
SAFEWORK	Independent statutory agency with primary responsibility to improve occupational health and safety and workers' compensation arrangements across Australia.
STEL	(Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.
SUSDP	Standard for the Uniform Scheduling of Drugs & Poisons
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons
UEL	upper flammable (explosive) limits in air;
UN Number	United Nations Number
<i>Literature references.</i>	
<i>Sources for data.</i>	Material Safety Data Sheets from Suppliers Hazardous Substances Information System (HSIS)– ASCC Australia (on-line) ESIS (European Chemical Substance Information System) ADG Code 7 th Edition SUSMP N ^o 4

DISCLAIMER:

This MSDS summarizes our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including its use in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact Lyndons Pty Ltd. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request. Lyndons Pty Ltd. however makes no warranty whatsoever, expressed, implied or of merchantability regarding the accuracy of such data or the results to be obtained from the use thereof and assumes no responsibility for injury to buyer or third persons or for any damage to property, Buyer assumes all risks.